

# Loaders



Feed rate  
reduction



Gentle  
loading




Breakage  
prevention

# Loaders

## Big Bag Loader

- If the pellets are delivered to a fish farm in big bag format, it is necessary to have a system that allows to move the pellets to silos before its distribution to tanks.
- The bag with pellets is raised with the help of a loader to a height that allows its opening in its bottom part and guide the pellets through a pipe and distribute to the desired silo.



| TECHNICAL SPECIFICATIONS |                          |
|--------------------------|--------------------------|
| Diameter                 | 75 mm                    |
| Side Channel Blower      | 7.5 kW                   |
| Hoist                    | 1500 kg                  |
| Structure                | AISI 316 stainless steel |
| Protections              | Polycarbonate            |

# Loaders

## Silos Loader

- This type of silos is manufactured in stainless steel (for salt water) or galvanized treatment (for aquaculture production in fresh water).

The volume of the silo is defined by the fish farm, reflecting the feeding needs. The main advantages of custom-made silos are:

- Adaptation to the available space at the farm.
- Designed and manufactured to optimal pellet consumption capacity and thus contributing to reduce its unwanted deterioration.



# PORTFOLIO

## Centralized Feeding Systems

1

### HATCHERY

Tailored feeding for optimal early-stage development.



2

### PREGROW

Maximize efficiency in the intermediate growth stage.



3

### ONGROWING

Ensure efficient grow-out with automated feeding.



## Specialized Equipment


### LABS



### CAGE FEEDERS



### SCREW FEEDERS



### LOADERS

